




WK -2 A DOOR SKIN




WK -2 B DOOR SKIN2



WK -2 C DOOR SKIN




WK -3 A DOOR SKIN




Why Wood Kraft Door Skin: Wood Kraft Doors are available in all designs like 2,3,4,5 & 6 Pannel,

- Available in Multi finishes like smooth, Textured, Veneered, Pre Finished & PVC Laminated. smooth & textured skins come with double qouted white primer.
- Available in all sizes ranging from 700mm to 1130 mm withs & upto 2300 mm height.
- Available in ready stpcks. Wood Kraft Doors are ideal for many areas such as:
 - HOUSING PROJECTS • BUNGALOWS AND VILLAS • HOSPITALS • LODGES
 - EDUCATIONAL INSTITUTES • HOSTELS • INDUSTRIAL BUILDINGS


WK -4 A DOOR SKIN




WK -4 B DOOR SKIN



WK -5 A DOOR SKIN




WK -6 A DOOR SKIN




Technical Specifications

Property	Target Value
Thickness	3mm
Density	950 kg / m ³
Swelling	(24 Hrs) 25%
Moisure	6% to 9%

Profile






WK - 2A

Dimension Specification (MM)


A	B	C	D	E	F	G	H	I
700	2150	140	420	295	160	505	1095	95
810	2150	165	480	295	160	505	1095	95
860	2150	190	480	295	160	505	1095	95
950	2150	185	580	295	160	505	1095	95
1020	2140	220	580	285	160	505	1095	95
1070	2140	245	580	285	160	505	1095	95
1130	2140	275	580	285	160	505	1095	95



WK - 2B

Dimension Specification (MM)


A	B	C	D	E	F	G	H	I
700	2150	140	420	302	160	619	894	175
810	2150	165	480	302	160	619	894	175
860	2150	190	480	302	160	619	894	175
950	2150	185	580	302	160	619	894	175
1020	2140	220	580	292	160	619	894	175
1070	2140	245	580	292	160	619	894	175
1130	2140	275	580	292	160	619	894	175



WK - 2C

Dimension Specification (MM)





A	B	C	D	E	F	G	H	I
700	2150	140	420	302	160	482	1045	160
810	2150	165	480	302	160	476	1052	160
860	2150	190	480	302	160	465	1063	160
950	2150	185	580	302	160	465	1063	160
1020	2140	220	580	292	160	465	1063	160
1070	2140	245	580	292	160	465	1063	160
1130	2140	275	580	292	160	465	1063	160



WK - 3A

Dimension Specification (MM)

A	B	C	D	E	F	G	H	I	J
700	2150	140	160	302	160	1178	380	130	100
810	2150	165	190	302	160	1178	380	130	100
860	2150	190	190	302	160	1178	380	130	100
950	2150	185	240	302	160	1178	380	130	100
1020	2140	220	240	292	160	1178	380	130	100
1070	2140	245	240	292	160	1178	380	130	100
1130	2140	275	240	292	160	1178	380	130	100



WK - 4A

Dimension Specification (MM)

A	B	C	D	E	F	G	H	I	J
700	2150	140	160	302	160	624	894	170	100
810	2150	165	190	302	160	624	894	170	100
860	2150	190	190	302	160	624	894	170	100
950	2150	185	240	302	160	624	894	170	100
1020	2140	220	240	292	160	624	894	170	100
1070	2140	245	240	292	160	624	894	170	100
1130	2140	275	240	292	160	624	894	170	100

WK - 4B

Dimension Specification (MM)

A	B	C	D	E	F	G	H	I	J
700	2150	140	160	285	185	611	890	180	100
810	2150	165	190	285	185	611	890	180	100
860	2150	190	190	285	185	611	890	180	100
950	2150	195	230	285	185	611	890	180	100
1020	2090	230	230	205	185	611	890	180	100
1070	2090	255	230	205	185	611	890	180	100
1130	2090	285	230	205	185	611	890	180	100

WK - 5A

Dimension Specification (MM)

A	B	C	D	E	F	G	H	I	J	K
700	2150	140	160	285	185	510	780	100	100	190
810	2150	165	190	285	185	510	780	100	100	190
860	2150	190	190	285	185	510	780	100	100	190
950	2150	195	230	285	185	510	780	100	100	190
1020	2090	230	230	205	205	510	780	100	100	190
1070	2090	265	230	205	205	510	780	100	100	190
1130	2090	285	230	205	205	510	780	100	100	190

WK - 6A

Dimension Specification (MM)

A	B	C	D	E	F	G	H	I	J	K	L
700	2150	140	160	277	185	600	600	98	100	215	175
810	2150	165	190	277	185	600	600	98	100	215	175
860	2150	190	190	277	185	600	600	98	100	215	175
950	2150	195	230	277	185	600	600	98	100	215	175
1020	2090	230	230	201	201	600	600	98	100	215	175
1070	2090	265	230	201	201	600	600	98	100	215	175
1130	2090	285	230	201	201	600	600	98	100	215	175