


- for Video Surveillance



# FIXED CAMERAS AND LENSES

- Wide Range of Color and day/night cameras
- Box type, Dome type, IR cameras
- Fixed and vari-focal, vandal resistant, and waterproof, IP66 rated mini-dome cameras
- Standard and high resolution
- Excellent light sensitivity (low lux)
- 10 M, 20 M, 30 M, 50 M Infrared cameras
- Vari-focal and IR vari-focal and motorized zoom lenses



GE  
Intelligent Platforms



**Control Electric Co. Pvt. Ltd.**  
A-80, Sector 80, Phase-II, Noida-201305 : Mob.No:09818689117  
e-mail:sales@ptcpanel.com



**LARSEN & TOUBRO**  
It's all about Imagination

# DOME CAMERAS

- Digital Signal Processor (DSP) chip-set for image control
- 480 or 540 TVL resolution
- High sensitivity, low smear, high anti-blooming, and high S/N ratio
- Fixed
- Built-in vari-focal lenses 2.6 - 6 mm or 4.0 -9 mm
- Auto iris, vari-focal lenses: 3.8-9.5 or 9-22 mm
- Vandal resistant  
Vandal Resistant Day Night Color Dome
- 540 TVL resolution
- Sensitivity to 0.1 lux color mode 0.05 lux black and white mode
- 3.6 – 9 mm or 9-22 mm vari-focal



GE  
Intelligent Platforms



**Control Electric Co. Pvt. Ltd.**  
A-80, Sector 80, Phase-II, Noida-201305 : Mob.No:09818689117  
e-mail:sales@ptcpanel.com



**LARSEN & TOUBRO**  
It's all about Imagineering

# CCTV KEYBOARDS

## Dome Controller

- Camera control joystick
- Manchester & RS-422/485 PTZ Data Port

## Operator Keyboard

- Monitor tour programming
- Alarm control
- Camera control joystick
- RS-232 for Matrix Switcher communication

## Controller/Keyboard

- Direct control of 16 domes, matrix and DV
- Full system programming
- Multi-function joystick
- LCD display
- Manchester & RS-422/485 PTZ Data Port
- RS-232 and Ethernet/LAN communication



GE  
Intelligent Platforms



**Control Electric Co. Pvt. Ltd.**  
A-80, Sector 80, Phase-II, Noida-201305 : Mob.No:09818689117  
e-mail:sales@ptcpanel.com



 **LARSEN & TOUBRO**  
It's all about *Imagining*

# HYBRID DIGITAL VIDEO RECORDERS

- Up to 16 channels, can be used stand-alone or as a server in a network
- Up to 4CIF selectable per camera or 2CIF on all 16 channels
- Features include up to 30fps(NTSC)/25fps(PAL) view and record per channel, multi-zone motion detection, programmable and viewable via LAN
- Quadraplex mode – view, record, playback, download to storage device on 4, 8, 12 and 16 channels used stand-alone or as a server in a network
- 4H/D with up to 4.0TB internal storage
- MPEG-4 / H.264 Compression
- Network viewer Video



GE  
Intelligent Platforms



**Control Electric Co. Pvt. Ltd.**  
A-80, Sector 80, Phase-II, Noida-201305 : Mob.No:09818689117  
e-mail:sales@ptcpanel.com



 **LARSEN & TOUBRO**  
It's all about Imagineering