

## Silvol White Oil (Light)

SILVOL WHITE OIL LIGHT is a highly refined, colorless, odourless, tasteless with different viscosity ranges. It finds wide applications in the manufacturing of Petroleum Jelly, Protective Coatings, Cable Compounds, Plastic and Rubber Processing, Glass Industries, Tobacco Processing, Cosmetic Preparations, Soaps, Agarbattis (perfumed sticks), Perfumes, Textiles Auxiliaries etc.

Sr.No.	Properties	White Oil (Light)
1	Description	Transparent Oily Liquid
2	Solubility	Insoluble in water & alcohol, Soluble in ether and chloroform,
3	Density @29.5°C, g/ml	0.810 – 0.860
4	Kinematic Viscosity @40°C, cSt	7 - 60
5	Cloud Point, °C, Max.	Zero
6	Pour Point, °C	(-)9 – (-)20
7	Flash Point, °C	150 – 200

\* The specifications are subject to variations / development / customization

## Silvol White Oil (Heavy)

Sr.No.	Properties	White Oil (Heavy)
1	Description	Transparent Oily Liquid
2	Solubility	Insoluble in water & alcohol, Soluble in ether and chloroform
3	Density @29.5°C, g/ml	0.810 – 0.880
4	Kinematic Viscosity @40°C, cSt	60 - 120
5	Cloud Point, °C, Max.	Zero
6	Pour Point, °C	(-)9 – (-)20
7	Flash Point, °C	200 – 260

\* The specifications are subject to variations / development / customization